

October 28, 2004

State of Utah
Division of Oil, Gas & Mining
Attn: Diana Whitney
1594 West North Temple - Suite 1210
P.O. Box 145801
Salt Lake City, Utah 84114-5801

RE: Applications for Permit to Drill: Federal 1-17-9-18, 2-17-9-18, 4-17-9-18, 6-17-9-18, 8-17-9-18, 10-17-9-18, 12-17-9-18, 14-17-9-18, and 16-17-9-18.

Dear Diana:

Enclosed find APD's on the above referenced wells. If you have any questions, feel free to give either Brad or myself a call.

Sincerely,

Manche Cuzies Mandie Crozier

Regulatory Specialist

mc

enclosures

RECEIVED OCT 2 9 2004

DIV. OF OIL, GAS & MINING

Form 3160-3 (September 2001) UNITED STATES	FORM APPROVED OMB No. 1004-0136 Expires January 31, 2004			
DEPARTMENT OF THE IN	Lease Serial No. UTU-39714			
BUREAU OF LAND MANAG			6. If Indian, Allottee or Tr	ibe Name
UU1 APPLICATION FOR PERMIT TO DR	ILL OR KEENTER		N/A	
	Manager Manage		7. If Unit or CA Agreement	t, Name and No.
la. Type of Work: DRILL REENTER			Mar Ei	Ohr Mile Fi
	Single Zone Multip	da Zama	8. Lease Name and Well N	Ď (
1b. Type of Well: Oil Well Gas Well Other	Single Zone 🗀 Multip	ne zone	Federal 2-17-9-18	<u> </u>
2. Name of Operator Newfield Production Company			9. API Well No.	1-36028_
	3b. Phone No. (include area code)		10. Field and Pool, or Explo	
Route #3 Box 3630, Myton UT 84052	(435) 646-3721		Eight Mile Flat	
4. Location of Well (Report location clearly and in accordance with a	ny State requirements.*)		11. Sec., T., R., M., or Blk. 8	and Survey or Area
At surface NW/NE 661' FNL 1979' FEL 592625	x 40,036388			
	oy -109,91434	2	NW/NE Sec. 17, T9	S R18E
14. Distance in miles and direction from nearest town or post office*	0 1 101.7 101		12. County or Parish	13. State
Approximatley 19.2 miles southeast of Myton, Utah			Uintah	UT
15. Distance from proposed*	16. No. of Acres in lease	17. Spacin	g Unit dedicated to this well	
location to nearest property or lease line, ft.			40 Aoroo	
(Also to nearest drig. unit line, if any) Approx. 661' f/lse, NA f/unit	1,717.32		40 Acres	
18. Distance from proposed location* to nearest well, drilling, completed,	19. Proposed Depth	20. BLM/I	3IA Bond No. on file	
applied for, on this lease, ft. Approx. 1322'	5875'	ι	JTU0056	
21. Elevations (Show whether DF, KDB, RT, GL, etc.)	22. Approximate date work will sta	rt*	23. Estimated duration	
5054' GL	1st Quarter 2005		Approximately seven (7) days from spi	ud to rig release.
	24. Attachments			
The following, completed in accordance with the requirements of Onshor	e Oil and Gas Order No.1, shall be at	tached to this	s form:	
			ns unless covered by an exist	ing bond on file (see
Well plat certified by a registered surveyor. A Drilling Plan.	Item 20 above).			
3. A Surface Use Plan (if the location is on National Forest System	Lands, the 5. Operator certific		ormation and/or plans as may	v be required by the
SUPO shall be filed with the appropriate Forest Service Office).	authorized office		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,
25. Signature	Name (Printed/Typed)		Date	
Il harrisoner	Mandie Crozier		1 (2/28/04
Title Regulatory Specialist			1	
Approved by Signature	Name (Printed/Typed)		Date	1-21-24
Tredentil	BRADLEY G.			1-01-0-1
Title	ENVIRONMENTAL SCI	ENTIST I	II	
Application approval does not warrant or certify the the applicant holds le	gal or equitable title to those rights in	the subject	lease which would entitle the	applicant to conduct
operations thereon.	.O			
Conditions of approval, if any, are attached.				
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it States any false, fictitious or fraudulent statements or representations as t	a crime for any person knowingly as o any matter within its jurisdiction.	nd willfully t	to make to any department or	agency of the United

*(Instructions on reverse)

Factorial Approval of Inia Recessary Action is Necessary RECEIVED
RECEIVED
OCT 29 2004
OCT 2 9 2004
DIV. OF OIL, GAS & MINING
DIV. OF OIL, GAS & MINING

T9S, R18E, S.L.B.&M.

S89°58'W 79.98 (G.L.O.) S89°53'32"W - 2627.85' (Meas.) S89°52'15"W - 2638.99' (Meas.) 1910 1910 1910 Brass Cap Brass Cap Brass Cap 1979' 2645.52' DRILLING WINDOW NO0.03'14"W (C.L.O.) Brass Cap N0.03,W - 1910 Bearings) Brass Cap WELL LOCATION: FEDERAL 2-17-9-18 ELEV. UNGRADED GROUND = 5053.5' 0 *M.,00,£0.00* 1910 1910 1910 Brass Cap Brass Cap Brass Cap S89°46'56"W - 2630.99' (Meas.) S89°52'54"W - 2633.79' (Meas.) \$89*57'W 79.90 (G.L.O.)




= SECTION CORNERS LOCATED

BASIS OF ELEV; U.S.G.S. 7-1/2 min QUAD (PARAIETTE DRAW SW)

NEWFIELD PRODUCTION COMPANY

WELL LOCATION, FEDERAL 2-17-9-18, LOCATED AS SHOWN IN THE NW 1/4 NE 1/4 OF SECTION 17, T9S, R18E, S.L.B.&M. UINTAH COUNTY, UTAH.



TRI STATE LAND SURVEYING & CONSULTING

180 NORTH VERNAL AVE. - VERNAL, UTAH 84078 (435) 781-2501

SCALE: 1" = 1000'	SURVEYED BY: C.M.
DATE: 10-4-04	DRAWN BY: F.T.M.
NOTES:	FILE #

NEWFIELD PRODUCTION COMPANY FEDERAL #2-17-9-18 NW/NE SECTION 17, T9S, R18E UINTAH COUNTY, UTAH

ONSHORE ORDER NO. 1

DRILLING PROGRAM

1. GEOLOGIC SURFACE FORMATION:

Uinta formation of Upper Eocene Age

2. ESTIMATED TOPS OF IMPORTANT GEOLOGIC MARKERS:

Uinta 0' – 1640' Green River 2015' Wasatch 5875'

3. <u>ESTIMATED DEPTHS OF ANTICIPATED WATER, OIL, GAS OR MINERALS:</u>

Green River Formation 2015' - 5875' - Oil

4. PROPOSED CASING PROGRAM

Please refer to the Monument Butte Field Standard Operation Procedure (SOP).

5. MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL:

Please refer to the Monument Butte Field SOP. See Exhibit "C".

6. <u>TYPE AND CHARACTERISTICS OF THE PROPOSED CIRCULATION MUDS:</u>

Please refer to the Monument Butte Field SOP.

7. AUXILIARY SAFETY EQUIPMENT TO BE USED:

Please refer to the Monument Butte Field SOP.

8. TESTING, LOGGING AND CORING PROGRAMS:

Please refer to the Monument Butte Field SOP.

9. <u>ANTICIPATED ABNORMAL PRESSURE OR TEMPERATURE:</u>

The anticipated maximum bottom hole pressure is 1800 psi. It is not anticipated that abnormal temperatures will be encountered.

10. ANTICIPATED STARTING DATE AND DURATION OF THE OPERATIONS:

Please refer to the Monument Butte Field SOP.

NEWFIELD PRODUCTION COMPANY FEDERAL #2-17-9-18 NW/NE SECTION 17, T9S, R18E UINTAH COUNTY, UTAH

ONSHORE ORDER NO. 1

MULTI-POINT SURFACE USE & OPERATIONS PLAN

1. EXISTING ROADS

See attached Topographic Map "A"

To reach Newfield Production Company well location site Federal #2-17-9-18 located in the NW 1/4 NE 1/4 Section 17, T9S, R18E, Uintah County, Utah:

Proceed southwesterly out of Myton, Utah along Highway 40 - 1.6 miles \pm to the junction of this highway and UT State Hwy 53; proceed southeasterly along Hwy 53 - 11.7 miles \pm to it's junction with an existing road to the southeast; proceed southeasterly -3.6 miles \pm to it's junction with an existing road to the east; proceed northeasterly -1.8 miles \pm to it's junction an existing road to the southeast; proceed southeasterly -0.4 miles \pm to it's junction with an existing road to the east; proceed easterly -0.1 miles \pm to it's junction with the beginning of the proposed access road; proceed easterly along the proposed access road 195° \pm to the proposed well location.

2. PLANNED ACCESS ROAD

See Topographic Map "B" for the location of the proposed access road.

3. <u>LOCATION OF EXISTING WELLS</u>

Refer to Exhibit "B".

4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES

Please refer to the Monument Butte Field Standard Operating Procedure (SOP).

5. LOCATION AND TYPE OF WATER SUPPLY

Please refer to the Monument Butte Field SOP. See Exhibit "A".

6. SOURCE OF CONSTRUCTION MATERIALS

Please refer to the Monument Butte Field SOP.

7. <u>METHODS FOR HANDLING WASTE DISPOSAL</u>

Please refer to the Monument Butte Field SOP.

8. ANCILLARY FACILITIES

Please refer to the Monument Butte Field SOP.

9. <u>WELL SITE LAYOUT</u>

See attached Location Layout Diagram.

10. PLANS FOR RESTORATION OF SURFACE

Please refer to the Monument Butte Field SOP.

11. <u>SURFACE OWNERSHIP</u> - Bureau Of Land Management

12. OTHER ADDITIONAL INFORMATION

The Archaeological Resource Survey and Paleontological Resource Survey for this area are attached. MOAC Report #03-155, 2/23/04. Paleontological Resource Survey prepared by, Wade E. Miller, 10/6/03. See attached report cover pages, Exhibit "D".

For the Federal #2-17-9-18 Newfield Production Company requests 195' of disturbed area be granted in Lease UTU-39714 to allow for construction of the proposed access road. Refer to Topographic Map "B". The proposed access road will be an 18' crown road (9' either side of the centerline) with drainage ditches along either side of the proposed road whether it is deemed necessary in order to handle any run-off from normal meteorological conditions that are prevalent to this area. The maximum grade will be less than 8%. There will be no culverts required along this access road. There will be barrow ditches and turnouts as needed along this road. There are no fences encountered along this proposed road. There will be no new gates or cattle guards required. All construction material for this access road will be borrowed material accumulated during construction of the access road.

Newfield Production Company requests 195' of disturbed area be granted in Lease UTU-39714 to allow for construction of the proposed gas lines. It is proposed that the disturbed area will be 50' wide to allow for construction of a 6" gas gathering line, and a 3" poly fuel gas line. Both lines will tie in to the existing pipeline infrastructure. **Refer to Topographic Map "C."** For a ROW plan of development, please refer to the Monument Butte Field SOP.

Water Disposal

Immediately upon first production, all produced water will be confined to a steel storage tank. If the production water meets quality guidelines, it is transported to the Ashley, Monument Butte, Jonah, and Beluga water injection facilities by company or contract trucks. Subsequently, the produced water is injected into approved Class II wells to enhance Newfield's secondary recovery project.

Water not meeting quality criteria, is disposed at Newfield's Pariette #4 disposal well (Sec. 7, T9S R19E) or at State of Utah approved surface disposal facilities.

Threatened, Endangered, And Other Sensitive Species

Mountain Plover: If new construction or surface disturbing activities are scheduled to occur between May 1 and June 15, detailed surveys of the area within 0.5 mile of the proposed location and within 300 feet of proposed access routes must be conducted to detect the presence of mountain plovers. All surveys must be conducted in accordance with the survey protocols outlined in the most recent USFWS Survey Protocol. Surveys must be completed prior to initiating new construction or surface disturbing activities. No new construction or surface disturbing activities will be allowed between March 15 and August 15 within a 0.5 mile radius of any documented mountain plover nest site.

Burrowing Owl: Due to the proximity of the location to active prairie dog towns, there is the potential to encounter nesting burrowing owls between April 1 and August 15. If new construction

or surface disturbing activities are scheduled between April 1 and August 15, pre-construction surveys will be conducted to detect the presence of nesting burrowing owls within 0.5 mile of any new construction or surface disturbing activity (see Vernal BLM Field Office Protocol). No new construction or surface disturbing activities will be allowed between April 1 and August 15 within a 0.5 mile radius of any active burrowing owl nest.

Reserve Pit Liner

Please refer to the Monument Butte Field SOP.

Location and Reserve Pit Reclamation

Please refer to the Monument Butte Field SOP.

The following seed mixture will be used on the topsoil stockpile, to the recontoured surface of the reserve pit, and for final reclamation: (All poundages are in pure live seed)

Shadscale Atriplex confertifolia 4 lbs/acre
Scarlet globmallow Sphaeralcea conccinea 4 lbs/acre
Crested Wheatgrass 4 lbs/acre

Details of the On-Site Inspection

The proposed Federal #2-17-9-18 was on-sited on 6/18/04. The following were present; Brad Mecham (Newfield Production) and Byron Tolman (Bureau of Land Management). Weather conditions were clear at 70 degrees.

13. LESSEE'S OR OPERATORS REPRESENTATIVE AND CERTIFICATION

Representative

Name: Brad Mecham

Address: Route #3 Box 3630

Myton, UT 84052

Telephone: (435) 646-3721

Certification


Please be advised that NEWFIELD PRODUCTION COMPANY is considered to be the operator of well #2-17-9-18 NW/NE Section 17, Township 9S, Range 18E: Lease UTU-39714 Uintah County, Utah: and is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond coverage is provided by Hartford Accident #4488944.

I hereby certify that the proposed drillsite and access route have been inspected, and I am familiar with the conditions which currently exist; that the statements made in this plan are true and correct to the best of my knowledge; and that the work associated with the operations proposed here will be performed by Newfield Production Company and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

Mandie Crozier

Regulatory Specialist


Newfield Production Company





NEWFIELD PRODUCTION COMPANY


CROSS SECTIONS

FEDERAL 2-17-9-18









NOTE: UNLESS OTHERWISE NOTED ALL CUT/FILL SLOPES ARE


AT 1.5:1


(No Shrink or swell adjustments have been used) (Expressed in Cubic Yards)


ITEM	CUT	FILL	6" TOPSOIL	EXCESS
PAD	1,280	1,280	Topsoil is not included	0
PIT	640	0	in Pad Cut	640
TOTALS	1,920	1,280	890	640


SURVEYED BY:	C.M.	SCALE:	1" = 50'
DRAWN BY:	F. T.M.	DATE:	10-5-04

	State	(435) 781–2501
/ Land	Surveying	g, Inc .
		. VERNAL, UTAH 84078










16	16	14	13		9 20	1	4S-R2W			234 234 1424 154 234			4S-R1W			13	Inland Wells Location Surface S Drilling Welting or Producing Weter Inje	pud Completion Oil Well Ges Well
21	i pla ur	T45-R3)		2	n	, i	18 Primetops	in La ilso	ede y reprosper transver these Las also Las also	da .	10 to 620 12	S-R17E 4. 4. 6. 4. 4. 6. 4. 6. 4. 6. 6. 6.	ร้อง หลัง (กระการโลก อริก สามา กะการโลก เลือง เรื่อง เลือ	10 to 11 to 11 to	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	23	-> Dry Hole F Temporer Plugged 8 Shut in Water So Water Die	lly Abandoned I Abandoned urce Well possi Well
33	34		3	440	29	T8S-	27 641	\$ 60 \$ 60 \$ 60 \$ 60 \$ 60 \$ 60 \$ 60 \$ 60	in oh for oh		the standard	As on the same	Ar uder 1000	20 132 130 25 20 132 133 134 13	1 103 1 2 10 10 10 10 10 10 10 10 10 10 10 10 10		UnitOutlines 8S-R18	*
4		2-534	as "So	31 Son	la la la la ringlia non la ringlia la ring la la	to de cos che	\$1 64 \$1 64 64 \$2 64 \$3 \$4 7 \$3 64 7 43 7 \$3	25-12 (han 1000 (ha 1-100 (han 1000 1000 25-12 1000 (han 1000 1000 25-12 1000 1000 (han 1000 (han 1000 (han 1000 (han 1000 (han 1000 (han 1000 (han 1000 (han	Jan 18-209	Stated Wash 969	A 16-32 15-321 11	3-33 13-33	की की की की की की	30 ₂₈	\$ 250 \$ 250 150 150 150 150 150 150 150 150 150 1	1 151 21251 1 1551 1151	35°22 35°22 5-32	33
•	/3	VV 2	다 라 (L) 라 다 라 (L) 라 (L) 라	is to stadio to is abortion is to make	100 2/20 2000 1/20 10 2/20 0 1/20 20 2/20 1/20 1/20 20 2/20 1/20 1/20	100 fro 2000 fro 60 fro 600 fr	ది ది ది ది ది , చి మి	4 6 4 6	4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	信 地 に が む 関 むん に む なん な なっなん	he was do	Ship was the state of	14-37	the state of the s	2 2 2			6. in
15	15 130 e30 U4 6-50	31 24 31 (1 31 31 31 31 31 131 131 41 31 131 131 131 31 131 131	Az ste ste 642	4 6 4 4	4 3 14 60	+ 6	1 20 10 10 10 10 10 10 10 10 10 10 10 10 10	27 50 50 60 600 2 00500 10500 2 600 10500 2 600 10500 2 600 10500 20 600	Anta da	\$ 500 th 10 10 10 10 10 10 10 10 10 10 10 10 10	2301 2501 2501 2501 2301 2501 2501 2501 500 250 550 250 160 150 550 650	han 200 minu to 1000 stang to to 1500 2500 stan 1000 for 1500	10-10	11 11	12	[a]	199	•
21	1-13 1-13 15	74-13 131 131	3 ⁴ 13	21-Tay /	20 20 11 20 12 12 12 12 12 12 12 12 12 12 12 12 12	15 4n	200 26 11 des 200 26 11 des 200 26 11 des 200 26 11	23/14 2 164. 281 281 ₁₂ 181 281	es la	ele stante ate unte for	i wie for the	15 mg 25-17 m2 m 6-1	60 2600 60 60 600 60 500		12	18 18 18 18 18 18 18 18 18 18 18 18 18 1	TOS P10	11
28	23	79S-R15	24	10	# 31G00 2F-020	ກຈິດ: e 21	1(m 22	ಮ್ಮಿಸ್ 23 * ಮ		10 th	281 282 20	T9S	-R17E	21-27 22 2-22	34	35 tor 41	As zalar 20	ar Ary
33	27	ý ₂₈	21	30	29	28	27.)	28 728	21-25Y	30	29	20	n	26	25	30	Si situ	and i
	54	35		aı	32	33	34	35	38	31	11	33	ы	35	33	38V(1131	Exhibi Ulmah Basin Datheste & Uma	ı, Utah
	,	106 P45	-			7-18G-R	102	2		•	0	1103-6	17'E,	2		Alaman F Shell She Dorner S Phaner 1	tive Building in Street Suite Seese I records believe 1347 (34) \$43-4340	Spenier (Ste



2-M SYSTEM

Blowout Prevention Equipment Systems




EXHIBIT C

Exhibit"D"
page 1 of 4

CULTURAL RESOURCE INVENTORY OF INLAND RESOURCES BLOCK SURVEY ON EIGHTMILE FLAT TOWNSHIP 9 SOUTH, RANGE 18 EAST, SECTIONS 17, 20, 21 IN UINTAH COUNTY, UTAH

by

Amanda Wilson and Keith R. Montgomery

Prepared For:

Bureau of Land Management Vernal Field Office

Prepared Under Contract With:

Inland Production Route 3 Box 3630 Myton, Utah 84052

Prepared By:


Montgomery Archaeological Consultants P.O. Box 147 Moab, Utah 84532

MOAC Report No. 03-155

February 23, 2004

United States Department of Interior (FLPMA) Permit No. 03-UT-60122

State of Utah Antiquities Project (Survey) Permit No. U-04-MQ-800b



Page 3 & 4

INLAND RESOURCES, INC.

PALEONTOLOGICAL FIELD SURVEY OF PROPOSED PRODUCTION DEVELOPMENT AREAS, UINTAH COUNTY, UTAH

(Sections 9, 14, 15, 17, 21, 23 and north half section 20, Township 9 South, Range 18 East)


REPORT OF SURVEY

Prepared for:

Inland Resources, Inc.


Prepared by:

Wade E. Miller Consulting Paleontologist October 6, 2003



WORKSHEET APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 10/29/2004	API NO. ASSIGNI	ED: 43-047-3602	88
WELL NAME: FEDERAL 2-17-9-18 OPERATOR: NEWFIELD PRODUCTION (N2695) CONTACT: MANDIE CROZIER PROPOSED LOCATION: NWNE 17 090S 180E SURFACE: 0661 FNL 1979 FEL	PHONE NUMBER: 4 INSPECT LOCATN Tech Review		Date
BOTTOM: 0661 FNL 1979 FEL UINTAH 8 MILE FLAT NORTH (590) LEASE TYPE: 1 - Federal	Engineering Geology Surface		
LEASE NUMBER: UTU-39714 SURFACE OWNER: 1 - Federal PROPOSED FORMATION: GRRV COALBED METHANE WELL? NO	LATITUDE: 40.0 LONGITUDE: -109		
Plat Plat Bond: Fed[1] Ind[] Sta[] Fee[] (No. UTU0056) Potash (Y/N) Oil Shale 190-5 (B) or 190-3 or 190-13 Water Permit (No. MUNICIPAL) RDCC Review (Y/N) (Date:) Fee Surf Agreement (Y/N)	R649-3-3. F Drilling Uni Board Cause Eff Date: Siting:	FLAT General rom Qtr/Qtr & 920' Exception	
STIPULATIONS: 1- Lederal 2- (Spacing)			



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office P.O. Box 45155 Salt Lake City, Utah 84145-0155

IN REPLY REFER TO: 3160 (UT-922)

November 1, 2004

Memorandum

To:

Assistant District Manager Minerals, Vernal District

From:

Michael Coulthard, Petroleum Engineer

Subject:

2004 Plan of Development Eight Mile Flat

Unit, Uintah County, Utah.

Pursuant to email between Diana Whitney, Division of Oil, Gas and Mining, and Mickey Coulthard, Utah State Office, Bureau of Land Management, the following well is planned for calendar year 2004 within the Eight Mile Flat Unit, Uintah County, Utah.

API#

WELL NAME

LOCATION

(Proposed PZ Green River)

43-047-36028 Federal 2-17-9-18 Sec 17 T09S R18E 0661 FNL 1979 FEL

This office has no objection to permitting the well at this time.

/s/ Michael L. Coulthard

bcc: File - Eight Mile Flat Unit
Division of Oil Gas and Mining

Central Files Agr. Sec. Chron Fluid Chron

MCoulthard:mc:11-1-04



State of Utah

Department of Natural Resources

ROBERT L. MORGAN Executive Director

Division of Oil, Gas & Mining

LOWELL P. BRAXTON Division Director OLENE S. WALKER
Governor

GAYLE F. McKEACHNIE Lieutenant Governor

November 1, 2004

Newfield Production Company Rt. #3, Box 3630 Myton, UT 84052

Re:

Federal 2-17-9-18 Well, 661' FNL, 1979' FEL, NW NE, Sec. 17, T. 9 South,

R. 18 East, Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann.§ 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-36028.

_Sincerely,

John R. Baza Associate Director

pab Enclosures

cc:

Uintah County Assessor

Bureau of Land Management, Vernal District Office

Operator:	Newfield Production Company				
Well Name & Number	Federal 2-17-9-18				
API Number:	43-047-36028				
Lease:	UTU-39714				
Location: <u>NW NE</u>	Sec. <u>17</u> T. <u>9 South</u> R. <u>18 East</u>				

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

• Contact Dan Jarvis at (801) 538-5338

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

- 4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.
- 5. This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.

FORM 3160-5 (June 1990)

DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

SUNDRY NOTICES AND REPORTS ON WELLS

FORM APPROVED
Budget Burgen No. 1

Budget	Bureau No.	1004-013

Duaget 1	sureau No.	1004-013	•
Evnires:	March 31	1993	

THE	-39714	
	-34/14	

5. Lease Designation and Serial No.

OO11511: 110 110 110 110 110 110 110 110 110			
	not use this form for proposals to drill or to deepen or reentry a different reservoir. Use "APPLICATION FOR PERMIT -" for such proposals N		
SUBMIT IN 1. Type of Well	TRIPLICATE	7. If Unit or CA, Agreement Designation SUNDANCE	
X Oil Gas Well Other		8. Well Name and No. FEDERAL 2-17-9-18 9. API Well No. 43. 047, 36028	
Name of Operator NEWFIELD PRODUCTION COMPANY Address and Telephone No.		43-047-36028 10. Field and Pool, or Exploratory Area EIGHT MILE FLAT NORTH	
4. Location of Well (Footage, Sec., T., R., m., or Survey Description) 661 FNL 1979 FEL NW/NE Section	46-3721 n 17, T9S R18E	11. County or Parish, State UINTAH COUNTY, UT.	
12. CHECK APPROPRIATE BOX(s) TYPE OF SUBMISSION	TO INDICATE NATURE OF NOTICE, REPO	ORT, OR OTHER DATA	
X Notice of Intent Subsequent Report Final Abandonment Notice	Abandonment Recompletion Plugging Back Casing Repair Altering Casing X Other Permit Extension	Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	
13. Describe Proposed or Completed Operations (Clearly state all pertinent details, at ally drilled, give subsurface locations and measured and true vertical depths for		rk. If well is direction-	

Newfield Production Company requsts to extend the Permit to Drill this well for one year. The original approval date was 11/1/04 (expiration 11/1/05).

This APD has not been approved yet by the BLM.

Approved by the Utah Division of Oil, Gas and Mining

4. I hereby certify that the fapeloid is true and correct Signed Mandie Crozier	Title	Regulatory Specialist	Date	10/27/2005	_
CC: UTAH DOGM					_
(This space for Federal or State office use)					
Approved by	Title		Date		_
Conditions of approval, if any:		RECEIVED			
CC: Utah DOGM					_
		OCT 3 1 7000			

RESET

Application for Permit to Drill Request for Permit Extension Validation

Validation
(this form should accompany the Sundry Notice requesting permit extension)

	43-047-36028 Federal 2-17-9-18		
Location:	NW/NE Section 17,	T9S R18E	
		Newfield Production	Company
Date Original	Permit Issued:	11/1/2004	
above, hereby	verifies that the	information as sub	I on the property as permitted mitted in the previously ses not require revision.
Following is a verified.	checklist of some	e items related to t	he application, which should be
If located on pagreement bee	rivate land, has t en updated? Yes	he ownership char □No□1) ←	nged, if so, has the surface
•		the vicinity of the p nts for this locatior	roposed well which would affect n? Yes⊡No <i>I</i> Z
		er agreements put proposed well? Yes	in place that could affect the □ No ☑
	•	to the access route proposed location?	e including ownership, or right- Yes□No ☑
Has the appro	ved source of wa	ater for drilling char	nged? Yes□No☑
	iire a change in p		face location or access route is discussed at the onsite
Is bonding still	in place, which o	covers this propose	ed well? Yes ☑No □
21	1. 1.	•	10/20/2005
11/10	ndi Co	341	10/28/2005
Signature			Date
Title: Regulator	ry Specialist		
Representing:	Newfield Production		
		RECE	EIVED
		OCT 3	1 2005

DIV. OF OIL, GAS & MINING

RECEIVED

NOV 0 1 2004 BLM VERNAL, UTAH

				OMB No. 1004 Expires January		
UNITED STATE				5. Lease Serial No.		
DEPARTMENT OF THE INTERIOR				UTU-39714		
BUREAU OF LAND MANA APPLICATION FOR PERMIT TO D		REENTER		6. If Indian, Allottee or T	ribe Name	
				N/A		
a. Type of Work: DRILL REENT	ER			7. If Unit or CA Agreemen	nt, Name and No.	
				8. Lease Name and Well N	lo.	
lb. Type of Well: 🗵 Oil Well 🚨 Gas Well 🚨 Other	X	Single Zone 🚨 Multi	ple Zone	Federal 2-17-9-18		
2. Name of Operator				9. API Well No.		
Newfield Production Company				43-047-3	6028	
Ba. Address	3b. Phone N	No. (include area code)		10. Field and Pool, or Explo	oratory	
Route #3 Box 3630, Myton UT 84052	(435) 6	46-3721		Eight Mile Flat		
4. Location of Well (Report location clearly and in accordance wit	h any State req	uirements.*)		11. Sec., T., R., M., or Blk.	and Survey or Area	
At surface NW/NE 661' FNL 1979' FEL				A 47 T	·	
At proposed prod. zone				NW/NE Sec. 17, T	95 K18E	
4. Distance in miles and direction from nearest town or post office*				12. County or Parish	13. State	
Approximatley 19.2 miles southeast of Myton, Utah				Uintah	UT	
5. Distance from proposed* location to nearest	16. No. of	Acres in lease	17. Spacia	ng Unit dedicated to this well		
property or lease line, ft. (Also to nearest drig. unit line, if any) Approx. 661' filse, NA flunit	1	,717.32		40 Acres		
B. Distance from proposed location*	19. Propos	sed Depth	20. BLM/	I/BIA Bond No. on file		
to nearest well, drilling, completed, applied for, on this lease, ft. Approx. 1322'	5	875'		UTB 000192		
I. Elevations (Show whether DF, KDB, RT, GL, etc.)	22. Appro	ximate date work will sta	ert*	23. Estimated duration Approximately seven (7) days from spud to rig release.		
5054' GL	1st (Quarter 2005				
		achments				
he following, completed in accordance with the requirements of Onsl	hore Oil and Ga	s Order No.1, shall be at	tached to the	is form:		
Well plat certified by a registered surveyor.		4. Bond to cover t	he operatio	ons unless covered by an exis	ting bond on file (see	
A Drilling Plan.		Item 20 above).		-		
. A Surface Use Plan (if the location is on National Forest System	m Lands, the	5. Operator certific	cation. specific in	formation and/or plans as ma	y be required by the	
SUPO shall be filed with the appropriate Forest Service Office).		authorized offic			, ,	
5. Signature	Non	ne (Printed/Typed)		Dat	e	
. Signature	•	andie Crozier		[22261	
itle / iaren voyes						
Regulatory Specialist				1		
ppe fled by (Signature)	Nan	ne (Printed/Typed)		Da	e/_ a/a ==	
Konnell Varienes	1				129/200	
		*		•	(
itle Assumine ment watinger	i Off	ice			•	

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*(Instructions on reverse)

Conditions of approval, if any, are attached.

RECEIVED NOTICE OF APPROVAL JAN 0 5 2006

DIV. OF OIL, GAS & MINING





UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT VERNAL FIELD OFFICE

170 South 500 East

VERNAL, UT 84078

(435) 781-4400



CONDITIONS OF APPROVAL FOR APPLICATION FOR PERMIT TO DRILL

Company: Newfield Production Co.

Location:

NWNE, Sec 17, T9S, R18E

Well No:

Federal 2-17-9-18

Lease No: UTU-39714

API No:

43-047-36028

Agreement: N/A

Matt Baker	Office: 435-781-4490	Cell: 435-828-4470
Michael Lee	Office: 435-781-4432	Cell: 435-828-7875
Jamie Sparger	Office: 435-781-4502	Cell: 435-828-3913
Paul Buhler	Office: 435-781-4475	Cell: 435-828-4029
	Michael Lee Jamie Sparger	Michael Lee Office: 435-781-4432 Jamie Sparger Office: 435-781-4502

Environmental Scientist: Karl Wright Office: 435-781-4484
Natural Resource Specialist: Holly Villa Office: 435-781-4404
Natural Resource Specialist: Melissa Hawk Office: 435-781-4476

After Hours Contact Number: 435-781-4513 Fax: 435-781-4410

A COPY OF THESE CONDITIONS SHALL BE FURNISHED TO YOUR FIELD REPRESENTATIVE TO INSURE COMPLIANCE

All lease and/or unit operations are to be conducted in such a manner that full compliance is made with the applicable laws, regulations (43 CFR Part 3160), and this approved Application for Permit to Drill including Surface and Downhole Conditions of Approval. The operator is considered fully responsible for the actions of his subcontractors. A copy of the approved APD must be on location during construction, drilling, and completion operations.

NOTIFICATION REQUIREMENTS

Location Construction (Notify Melissa Hawk)

- Forty-Eight (48) hours prior to construction of location and

access roads.

Location Completion (Notify Melissa Hawk)

- Prior to moving on the drilling rig.

Spud Notice

(Notify Petroleum Engineer)

- Twenty-Four (24) hours prior to spudding the well.

Casing String & Cementing (Notify Jamie Sparger)

- Twenty-Four (24) hours prior to running casing and cementing

all casing strings.

BOP & Related Equipment Tests

(Notify Jamie Sparger)

Twenty-Four (24) hours prior to initiating pressure tests.

First Production Notice (Notify Petroleum Engineer) - Within Five (5) business days after new well begins or

production resumes after well has been off production for more

than ninety (90) days.

COAs: Page 2 of 6 Well: Federal 2-17-9-18

SURFACE USE PROGRAM CONDITIONS OF APPROVAL (COAs)

This well is being approved in accordance with Washington Instruction Memorandum 2005-247 and Section 390 (Category 3) of the Energy Policy Act which establishes statutory categorical exclusions (CX) under the National Environmental Policy Act (NEPA). Category 3 states that an oil or gas well can be drilled within a developed field for which an approved land use plan or any environmental document prepared pursuant to NEPA analyzed drilling as a reasonably foreseeable activity, so long as such plan or document was approved within five (5) years prior to the date of spudding the well. This well is covered under the *Final Environmental Impact Statement and Record of Decision Castle Peak and Eightmile Flat Oil and Gas Exploration Project Newfield Rocky Mountains Inc.*, signed November 21, 2005. If the well has not been spudded by November 21, 2010, a new environmental document will have to be prepared prior to the approval of the APD.

4 to 6 inches of topsoil shall be stripped from the location and placed where it can most easily be accessed for interim reclamation instead of as shown in the APD.

Within 90 calendar days of the approval date for this Application for Permit to Drill (APD), the operator/lessee shall submit to the Authorized Officer (AO), on Sundry Notice Form 3160-5, an Interim Surface Reclamation Plan for surface disturbance on well Pads, access roads, and pipelines. At a minimum, this will include the reshaping of the pad to the original contour to the extent possible; the respreading of the topsoil up to the rig anchor points; and the area reseeded using appropriate reclamation methods. The AO will provide written approval or concurrence within 30 calendar days of receipt.

The pipeline(s) shall be buried within the identified construction width of an access corridor that contains the access road and pipelines. The operator may request in writing an exception to this COA. Exceptions to this COA may include but are not limited to: laterally extensive, hard indurated bedrock, such as sandstone, which is at or within 2 feet of the surface; and soil types with a poor history for successful rehabilitation. The exception request will be reviewed by the AO and a determination made.

Following well plugging and abandonment, the location, access roads, pipelines, and other facilities shall be reclaimed. All disturbed surfaces shall be reshaped to approximate the original contour; the top soil respread over the surface; and the surface revegetated. The surface of approved staging areas where construction activities did not occur may require disking or ripping and reseeding.

Prior to abandonment of a buried pipeline, the operator will obtain authorization from the appropriate regulatory agency. BLM will determine whether the pipeline and all above ground pipeline facilities shall be removed and unsalvageable materials disposed of at approved sites or abandoned in place. Reshaping and revegetation of disturbed land areas will be completed where necessary. The seed mix identified in the APD shall be used. Other reclamation methods including but not limited to mulching or soil treatments may be require on a site-specific basis.

COAs: Page 3 of 6 Well: Federal 2-17-9-18

DOWNHOLE CONDITIONS OF APPROVAL

All provisions outlined in Onshore Oil & Gas Order #2 Drilling Operations shall be strictly adhered to. The following items are emphasized:

SITE SPECIFIC DOWNHOLE CONDITIONS OF APPROVAL

1. As a minimum, the usable water and oil shale resources shall be isolated and/or protected by having a cement top for the production casing at least 200 ft. above the base of the usable water zone, identified at \pm 640 ft.

DRILLING/COMPLETION/PRODUCING OPERATING STANDARDS

- 1. There shall be no deviation from the proposed drilling, completion, and/or workover program as approved. Safe drilling and operating practices must be observed. All wells, whether drilling, producing, suspended, or abandoned, shall be identified in accordance with 43 CFR 3162.6. There shall be a sign or marker with the name of the operator, lease serial number, well number, and surveyed description of the well. Any changes in operation must have prior approval from the BLM, Vernal Field Office Petroleum Engineers.
- 2. The spud date and time shall be reported orally to Vernal Field Office within 24 hours of spudding.
- 3. <u>Notify Vernal Field Office Supervisory Petroleum Engineering Technician at least 24 hours in advance of casing cementing operations and BOPE & casing pressure tests.</u>
- 4. Blowout prevention equipment (BOPE) will remain in use until the well is completed or abandoned. Closing unit controls must remain unobstructed and readily accessible at all times. Choke manifolds must be located outside of the rig substructure.

All BOPE components will be inspected daily and those inspections shall be recorded in the daily drilling report. Components shall be operated and tested as required by Onshore Oil & Gas Order No. 2 to insure good mechanical working order. All BOPE pressure tests must be performed by a test pump with a chart recorder and **NOT** by the rig pumps. Test must be reported in the driller's log.

BOP drills must be initially conducted by each drilling crew within 24 hours of drilling out from under the surface casing and weekly thereafter as specified in Onshore Oil & Gas Order No. 2.

Casing pressure tests are required before drilling out from under all casing strings set and cemented in place.

No aggressive/fresh hard-banded drill pipe shall be used within casing.

5. All shows of fresh water and minerals will be reported and protected. A sample will be taken of any water flows and a water analysis furnished the BLM, Vernal Field Office.

COAs: Page 4 of 6 Well: Federal 2-17-9-18

All oil and gas shows will be adequately tested for commercial possibilities, reported, and protected.

- 6. No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in a suspended status without prior approval of the BLM, Vernal Field Office. If operations are to be suspended for more than 30 days, prior approval of the BLM, Vernal Field Office must be obtained and notification given before resumption of operations.
- 7. Chronologic drilling progress reports must be filed directly with the BLM, Vernal Field Office on a weekly basis in sundry, letter format or e-mail to the Petroleum Engineers until the well is completed.

Any change in the program must be approved by the BLM, Vernal Field Office. "Sundry Notices and Reports on Wells" (Form BLM 3160-5) must be filed for all changes of plans and other operations in accordance with 43 CFR 3162.3-2.

Emergency approval may be obtained orally, but such approval does not waive the written report requirement. Any additional construction, reconstruction, or alterations of facilities, including roads, gathering lines, batteries, etc., which will result in the disturbance of new ground, will require the filing of a suitable plan pursuant to Onshore Oil & Gas Order No. 1 of 43 CFR 3164.1 and prior approval by the BLM, Vernal Field Office.

In accordance with 43 CFR 3162.4-3, this well must be reported on the "Monthly Report of Operations" (Oil and Gas Operations Report ((OGOR)) starting with the month in which operations commence and continue each month until the well is physically plugged and abandoned. This report shall be filed in duplicate, directly with the Minerals Management Service, P.O. Box 17110, Denver, Colorado 80217-0110, or call 1-800-525-7922 (303) 231-3650 for reporting information.

8. Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (BLM Form 3160-4) will be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3162.4-1. Two copies of all logs run, core descriptions, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed on BLM Form 3160-4. Submit with the well completion report a geologic report including, at a minimum, formation tops, and a summary and conclusions. Also include deviation surveys, sample descriptions, strip logs, core data, drill stem test data, and results of production tests if performed. Samples (cuttings, fluid, and/or gas) will be submitted only when requested by the BLM, Vernal Field Office.

Please submit an electronic copy of all logs run on this well in LAS format to UT_VN_Welllogs@BLM.gov. This submission will supersede the requirement for submittal of paper logs to the BLM. The cement bond log must be submitted in raster format (TIF, PDF other).

COAs: Page 5 of 6 Well: Federal 2-17-9-18

9. All off-lease storage, off-lease measurement, or commingling on-lease or off-lease will have prior written approval from the BLM, Vernal Field Office.

All measurement points shall be identified as point of sales or allocation for royalty determination prior to the installation of facilities.

- 10. Oil and gas meters will be calibrated in place prior to any deliveries. The Field Office Petroleum Engineers will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports will be submitted to the BLM, Vernal Field Office. All measurement facilities will conform to the API standards for liquid hydrocarbons and the AGA standards for natural gas measurement.
- 11. A schematic facilities diagram as required by Onshore Oil & Gas Order No. 3 shall be submitted to the BLM, Vernal Field Office within 30 days of installation or first production, whichever occurs first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with Onshore Oil & Gas Order No. 3.
- 12. This APD is approved subject to the requirement that, should the well be successfully completed for production, the BLM, Vernal Field office must be notified when it is placed in a producing status. Such notification will be by written communication and must be received in this office by not later than the fifth business day following the date on which the well is placed on production. The notification shall provide, as a minimum, the following informational items:
 - a. Operator name, address, and telephone number.
 - b. Well name and number.
 - c. Well location (1/41/4, Sec., Twn, Rng, and P.M.).
 - d. Date well was placed in a producing status (date of first production for which royalty will be paid).
 - e. The nature of the well's production, (i.e., crude oil, or crude oil and casing head gas, or natural gas and entrained liquid hydrocarbons).
 - f. The Federal or Indian lease prefix and number on which the well is located; otherwise the non-Federal or non-Indian land category, i.e., State or private.
 - g. Unit agreement and / or participating area name and number, if applicable.
 - h. Communitization agreement number, if applicable.

COAs: Page 6 of 6 Well: Federal 2-17-9-18

13. Any venting or flaring of gas will be done in accordance with Notice to Lessees (NTL) 4A and needs prior approval from Field Office Petroleum Engineers.

- 14. All undesirable events (fires, accidents, blowouts, spills, discharges) as specified in NTL 3A will be reported to the BLM, Vernal Field Office. Major events as defined in NTL3A, will be reported verbally within 24 hours, followed by a written report within 15 days. "Other than Major Events" will be reported in writing within 15 days. "Minor Events" will be reported on the Monthly Report of Operations and Production
- 15. Pursuant to Onshore Oil & Gas Order No. 7, this is authorization for pit disposal of water produced from this well for a period of 90 days from the date of initial production. A permanent disposal method must be approved by this office and in operation prior to the end of this 90-day period. In order to meet this deadline, an application for the proposed permanent disposal method shall be submitted along with any necessary water analyses, as soon as possible, but no later than 45 days after the date of first production. Any method of disposal which has not been approved prior to the end of the authorized 90-day period will be considered as an Incident of Noncompliance and will be grounds for issuing a shut-in order until an acceptable manner for disposing of said water is provided and approved by this office.
- 16. Unless the plugging is to take place immediately upon receipt of oral approval, the Field Office Petroleum Engineers must be notified at least 24 hours in advance of the plugging of the well, in order that a representative may witness plugging operations. If a well is suspended or abandoned, all pits must be fenced immediately until they are backfilled. The "Subsequent Report of Abandonment" (Form BLM 3160-5) must be submitted within 30 days after the actual plugging of the well bore, showing location of plugs, amount of cement in each, and amount of casing left in hole, and the current status of the surface restoration.

5 FORM 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR RECEIVED BUREAU OF LAND MANAGEMENT OCT 3 0 2006 DTICES AND REPORTS ON WELL OCT 3 0 2006

FORM APPROVED

Budget Bureau No. 1004-0135

Expires: March 31, 1993 5. Lease Designation and Serial No.

SUNDRY NOTICES AND R	EPORTS ON WELLS	S OIL GAS & MITT	l
		~ VII . ~.	г

SUNDRY NOTICES AND REPORTS ON WELLSGAS & ""	UTU-39714
Do not use this form for proposals to drill or to deepen or reentry a different research of Olli, GAS & "" Use "APPLICATION FOR PERMIT -" for such proposals	6. If Indian, Allottee or Tribe Name NA
SUBMIT IN TRIPLICATE	7. If Unit or CA, Agreement Designation SUNDANCE
I. Type of Well X Oil Gas Well Other	8. Well Name and No. FEDERAL 2-17-9-18 9. API Well No.
2. Name of Operator	43-047-36028
NEWFIELD PRODUCTION COMPANY	10. Field and Pool, or Exploratory Area
3. Address and Telephone No.	EIGHT MILE FLAT NORTI
Rt. 3 Box 3630, Myton Utah, 84052 435-646-3721	11. County or Parish, State
4. Location of Well (Footage, Sec., T., R., m., or Survey Description) 661 FNL 1979 FEL NW/NE Section 17, T9S R18E	UINTAH COUNTY, UT.
CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, O	OR OTHER DATA

TYPE OF SUBMISSION	5) TO INDICATE NATURE OF NOTICE, REPO	F ACTION
X Notice of Intent Subsequent Report Final Abandonment Notice	Abandonment Recompletion Plugging Back Casing Repair Altering Casing X Other Permit Extension	Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well

Newfield Production Company requests to extend the Permit to Drill this well for one year. The original approval date was 11/01/04 (expiration 11/02/06).

This APD is not yet due to expire with the BLM.

Approved by the Utah Division of Oil, Gas and Mining

Regulatory Specialist Mandie Crozier CCLEMIDOGN a this space for Loderis or State office use)

^{13.} Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work,38



Application for Permit to Drill Request for Permit Extension Validation

RECEIVED
OCT 30 2006
DIV. OF OIL, GAS & MINING

(this form should accompany the Sundry Notice requesting permit extension)

API: 43-047-36028 Well Name: Federal 2-17-9-18 Location: NW/NE Section 17, T9S R18E Company Permit Issued to: Newfield Production Company Date Original Permit Issued: 11/1/2004
The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.
Following is a checklist of some items related to the application, which should be verified.
f located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes□No□ ()ਿ
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes☐No☑
Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes□ No ☑
Have there been any changes to the access route including ownership, or right- of-way, which could affect the proposed location? Yes□No ☑
Has the approved source of water for drilling changed? Yes□Nol☑
Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes□No☑
ls bonding still in place, which covers this proposed well? Yes ☑ No ☐
Wignelia (10/27/2006
Signature Date
Title: Regulatory Specialist
Representing: Newfield Production Company

FORM 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR

BUREAU OF LAND MANAGEMENT	

FORM APPROVED

Budget Bureau No. 1004-0135 Expires: March 31, 1993

		5. Lease Designation and Serial No.		
SUNDRY NOTICES AN	D REPORTS ON WELLS	UTU-39714		
not use this form for proposals to drill or to deepen or reentry a different reservoir. 6. If Indian, Allottee or Tribe Name				
Use "APPLICATION F	Use "APPLICATION FOR PERMIT -" for such proposals NA			
	The state of the s			
0//51//7/15		7. If Unit or CA, Agreement Designation		
1. Type of Well	TRIPLICATE	SUNDANCE		
Oil Gos		8. Well Name and No.		
Well Well Other		FEDERAL 2-17-9-18		
		9. API Well No.		
2. Name of Operator		43-047-36028		
NEWFIELD PRODUCTION COMPANY 3. Address and Telephone No.		10. Field and Pool, or Exploratory Area		
Rt. 3 Box 3630, Myton Utah, 84052 435-6	46-3721	11. County or Parish, State		
4. Location of Well (Footage, Sec., T., R., m., or Survey Description)		11. County of Parish, State		
661 FNL 1979 FEL NW/NE Section	n 17, T9S R18E	UINTAH COUNTY, UT.		
12. CHECK APPROPRIATE BOX(s)	TO INDICATE NATURE OF NOTICE, REPOI	RT, OR OTHER DATA		
TYPE OF SUBMISSION	TYPE OF			
₩				
X Notice of Intent	Abandonment Recompletion	Change of Plans New Construction		
Subsequent Report	Plugging Back	Non-Routine Fracturing		
	Casing Repair	Water Shut-Off		
Final Abandonment Notice	Altering Casing	Conversion to Injection		
i	X Other Permit Extension	Dispose Water		
		(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)		
Newfield Production Company reques approval date was 11/01/04 (expiration). This APD is not yet due to expire with	n 11/01/07).	RECEIVED OCT 3 1 2007 DIV. OF OIL, GAS & MINING		
14. I hereby certify that the foregoing is true and correct				
Signed Signed	Title Regulatory Specialist	Date 10/30/2007		
Mandie Crozier	Trobamos, opening	10/30/2007		
CC: UTAH DOGM				
(This space for Federal or State office use)				
Approved by	Title	Date		
Conditions of approval, if any:				

Application for Permit to Drill Request for Permit Extension Validation

Validation
(this form should accompany the Sundry Notice requesting permit extension)

API:

43-047-36028

Well Name: Federal 2-17-9-18			
Location: NW/NE Section 17,T9S R18E			
Company Permit Issued to: Newfield Production Company Date Original Permit Issued: 11/1/2004			
Date Original Permit Issued. 11/1/2004			
The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.			
Following is a checklist of some items related to the application, which should be verified.			
If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes ☑ No □			
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes ☐ No ☑			
Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes□No☑			
Have there been any changes to the access route including ownership, or right-of-way, which could affect the proposed location? Yes □ No ☑			
Has the approved source of water for drilling changed? Yes□No₪			
Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes□No☑			
Is bonding still in place, which covers this proposed well? Yes ☑ No ☐			
Mande Crozin 10/30/2007			
Signature Date			
Title: Regulatory Specialist			
Representing: Newfield Production Company			



United States Department of the Interior

BUREAU OF LAND MANAGEMENT Vernal Field Office 170 South 500 East Vernal, UT 84078

(435) 781-4400 Fax: (435) 781-4410



IN REPLY REFER TO: 3160 UT08300

February 8, 2008

43-047-34028

Mandie Crozier Newfield Production Company Route 3, Box 3630 Myton, UT 84052

Re:

Notice of Expiration

Well No. Federal 2-17-9-18 NWNE, Sec. 17, T9S, R18E Uintah County, Utah Lease No. UTU-39714 Sundance (GR) Unit

Dear Ms. Crozier:

The Application for Permit to Drill the above-referenced well was approved on December 29, 2005. A one (1) year extension of the original APD was requested. The request was reviewed and the extension approved until December 29, 2007. According to our records, no known activity has transpired at the approved location. In view of the foregoing, this office is notifying you that the approval of the referenced application has expired. If you intend to drill at this location in the future, a new Application for Permit to Drill must be submitted.

This office requires a letter confirming that no surface disturbance has been made for this drill site. Any surface disturbance associated with the approved location of this well is to be rehabilitated. A schedule for this rehabilitation must be submitted to this office. Your cooperation in this matter is appreciated.

If you have any questions regarding this matter, please contact me at (435) 781-4455.

Sincerely,


Cindy Sever son

Cindy Severson Land Law Examiner

CC: UDOGM – Diana Mason

RECEIVED FEB 1 3 2008

DIV. OF OIL, GAS & MINING



State of Utah DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

October 28, 2008

Mandie Crozier Newfield Production Co Route 3 Box 3630 Myton, UT 84052 43 047 36028 Federal 2-17-9-18 95 18E 17

Re: APDs Rescinded at the request of Newfield Production Company

Dear Ms. Crozier:

Enclosed find the list of APDs that you requested to be rescinded to Newfield Production Company. No drilling activity at these locations has been reported to the division. Therefore, approval to drill these wells is hereby rescinded, effective October 27, 2008.

A new APD must be filed with this office for approval <u>prior</u> to the commencement of any future work on the subject locations.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division immediately.

Sincerely,

Diana Mason

Environmental Scientist

and Dusm

cc:

Well File

Bureau of Land Management, Vernal



Federal 1-17-9-18	43-047-36027	
Federal 2-17-9-18	43-047-36028	
Federal 4-17-9-18	43-047-36029	
Federal 6-17-9-18	43-047-36030	
Federal 8-17-9-18	43-047-36031	
Federal 10-17-9-18	43-047-36032	
Federal 12-17-9-18	43-047-36033	
Federal 14-17-9-18	43-047-36034	
Federal 16-17-9-18	43-047-36035	

.